

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	29	((ultrasound or ultrasonic) with image) same temperature).ab.	US-PGPUB; USPAT; EPO	OR	ON	2005/03/05 14:37
L4	1	((ultrasound or ultrasonic) same imag\$3).ab. and ((pixel near5 (rayleigh or gaussian)) with (mean or average or median) with (standard adj deviation))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/05 14:43
L5	1	((ultrasound or ultrasonic) same imag\$3).ab. and ((pixel near5 (rayleigh or gaussian)) same (mean or average or median) same (standard adj deviation))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/05 14:43
L6	1	((ultrasound or ultrasonic) same imag\$3).ab. and ((pixel with (rayleigh or gaussian)) same (mean or average or median) same (standard adj deviation))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/05 14:43

★ This search was specifically aimed at independent claim #5

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	7158	((ultrasound or ultrasonic) same imag\$3).ab.	US-PGPUB; USPAT; EPO	OR	ON	2005/03/05 15:23
L8	4	((ultrasound or ultrasonic) same imag\$3).ab. and (((delta or dirac or impulse) near3 function) same (3D or 3-D or (three adj dimension\$) or three-dimension\$2))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/05 19:22
L12	24	((ultrasound or ultrasonic) same imag\$3).ab. and (((delta or dirac or impulse) near3 function) same (tissue or reflect\$5))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/05 19:53

★ This search was specifically aimed for independent claim #13

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	7158	((ultrasound or ultrasonic) same:imag\$3).ab.	US-PGPUB; USPAT; EPO	OR	ON	2005/03/05 15:23
L10	480	7 and (radio near2 frequency)	US-PGPUB; USPAT; EPO	OR	ON	2005/03/05 15:24
L11	21	10 and (PSF or (point adj spread adj function))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/05 15:25

A This search was aimed at ~~same~~ independent claim 14